## MATERIAL SAFETY DATA SHEET

302-074

Lloyds Laboratories Inc.

# High Strength Thread Lock - Part # 90106, 90150

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME:

High Strength Thread Lock.

**PRODUCT USE:** 

Thread Lock.

**MANUFACTURER:** 

Lloyds Laboratories Inc.

SUPPLIER:

Lloyds Laboratories Inc.

ADDRESS:

613 Neal Drive.

ADDRESS:

613 Neal Drive. Peterborough.

Peterborough. Ontario,

Ontario.

K9J 6X7

**K9J6X7** 

**EMERGENCY #:** 

1 800 361-6766

**EMERGENCY #:** 

1 800 361-6766

#### **SECTION II: INGREDIENT INFORMATION**

Ingredients	CAS#	Wt%	OSHA-TWA	ACGIH-TWA	LD <sub>50</sub>
Methacrylate monomer	25852-47-5	65-75 %	Not established	Not established	Not known
Polyester resin	propriety	20-30%	Not established	Not established	Not known
Saccharin	81-07-2	2-5 %	Not established	Not established	Not known
Cumene hydroperoxide	25155-30-0	1-3 %	Not established	Not established	Not known
Alkyl Toluidine	613-48-9	<1 %	Not established	Not established	Not known

#### **SECTION III: HAZARDOUS IDENTIFICATION**

Route of Entry:

**Potential Health Effects:** 

Eye, skin contact, ingestion.

**Eye Contact:** 

May cause irritation to eyes.

**Skin Contact:** 

May cause irritation upon repeated/ prolonged contact. Rash, redness and

swelling.

Inhalation:

May cause nose, throat and respiratory tract irritation. Vapours generated at

elevated temperatures may cause coughing, mucous production and

shortness of breath.

Ingestion:

May cause very irritation to mouth, esophagus and stomach. May cause

gastric tract disorder and depression of the central nervous system.

**Chronic Effects:** 

Carcinogenicity:

No ingredients listed IARC or NTP or ACGIC. Non hazardous by

WHMIS/OSHA criteria.

Teratogenicity, Mutagenicity,

Reproductive Effects:

Skin:

The ingredients in this product were found not to be mutagenic when tested by the Ames Assay, (OECD Guidelines for chemical testing, sec.471).

Repeated or prolonged exposures to dilutions can cause drying, defatting

and dermatitis.

# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# High Strength Thread Lock - Part # 90106, 90150

#### SECTION IV: FIRST AID MEASURES

Eye Contact: Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If

irritation persists, repeat flushing and obtain medical attention immediately.

Skin Contact: Flush with water. Seek medical attention if irritation persists. Remove contaminated

clothing and launder before reuse. Bleaching of skin may occur which is a temporary

occurance.

Inhalation: Move victim to fresh air. If conscious, have victim take deep, slow breaths. Seek

medical attention if symptoms persist.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with water, then drink one glass of water.

Seek medical attention. Do not give anything to victim if unconscious or convulsing.

#### **SECTION V: FIRE FIGHTING MEASURES**

Flammability:

Flash Point Deg (C,TCC):

Non flammable.

Not applicable.

Means of Extinction:

As appropriate for surrounding fire. Use water, dry chemical, carbon dioxide

or foam.

Special Fire Hazards:

Fire fighters should wear self contained breathing apparatus as for

surrounding fire. Not applicable.

**Autoignition Temperature:** 

Flame Propagation or

Burning Rate of Solid:

Sensitivity to Static

Discharge:

Discharge:

**Unusual Fire and Explosion** 

Hazards:

**Hazardous Decomposition** 

**Products:** 

Not applicable.

Not applicable.

None expected. As per surrounding fire.

Oxides of carbon, oxides of nitrogen.

## SECTION VI: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:

Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled container. For large quantities, dispose of in accordance with local,

provincial/ state or federal regulations.

For large spills prevent from entering sewers and waterways. For large spills

provide diking to prevent spreading.

#### SECTION VII: HANDLING AND STORAGE

Storage Requirements:

KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible materials which include acids, oxidizing materials, reducing agent

and Ammonia Salts.

Storage temperature C Ambient to 45 C (must be stored above 8 C at all times). Transport temperature C Ambient to 50 C (must be stored above 8 C at all times). Keep container closed. Handle and open container with care. Store in a well ventilated place away from incompatible materials. Do not store near open flame.

# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# High Strength Thread Lock - Part # 90106, 90150

Do not reuse empty containers.

## SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves:

Avoid skin contact, wear gloves.

**Eye Protection:** 

Safety goggles.

**Respiratory Protection:** 

Not normally required if good ventilation is maintained

Other Protective

As required by employer code. Eye bath, safety shower, protective clothing.

**Equipment:** 

**Engineering Controls:** 

General ventilation normally required.

## SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (deg C):	>100	Specific Gravity (H₂0 = 1):	>1.00	Evaporation Rate (water=1):	Not known.
% Volatile (Wt%):	Not know	Solubility in water:	Complete	pH (as supplied):	Not applicable
Physical State:	Liquid	Viscosity:	8,000 cps	VOC%:	Not known
Appearance / Odour:	Viscous liquid				

## **SECTION X: STABILITY AND REACTIVITY**

**Conditions for Chemical Instability:** 

Stable.

Incompatible Materials:

Strong oxidizing agents, strong acids.

**Hazardous Decomposition Products:** 

Oxides of carbon, Oxides of Nitrogen when heated.

#### SECTION XI: TOXICOLOGICAL INFORMATION

See Section II for LD 50 for individual components.

## **SECTION XII: ECOLOGICAL INFORMATION**

Biodegradability:

No data available.

## SECTION XIII: DISPOSAL CONSIDERATIONS

Dispose of in accordance to all local, provincial/state and federal regulations.

## MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

## High Strength Thread Lock - Part # 90106, 90150

SECTION XIV: TRANSPORTATION

T.D.G. Classification:

Not regulated.

**D.O.T. Classification:** 

Not regulated.

## SECTION XV: REGULATORY INFORMATION

Occupational Health and Safety

Regulations:

WHMIS Class:

**OSHA & WHMIS:** 

D 2 B.

MSDS prepared pursuant to the Hazard Communication Standard (FR29.1920.1200) and Canadian WHMIS regulations.

**Toxic Substances Control Act (TSCA):** 

All ingredients are registered on the Chemical Substances

Inventory.

**Canadian Domestic Substance List** 

(DSL):

All ingredients are registered on the DSL.

#### SECTION XVI: OTHER INFORMATION

Date:	June 7, 2016	Prepared By:	Technical Services	Telephone:	1 800 361-6766
			Group		

#### Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400) or CSST in Montreal, Quebec (514-873-3990).