

# SAFETY DATA SHEET

Revision Date 05/24/2018

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Fluid Film® WRL

**Product Type** Grease, Wire Rope Dressing

Recommended use of the chemical and restrictions on use

Recommended Use Corrosion inhibitor, lubricant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Eureka Chemical Company

Supplier Address 234 Lawrence Ave

South San Francisco, CA 94080

US

**Supplier Phone Number** Phone: 650-761-3536

Fax: 650-589-1943

Contact Phone: 1-650-761-3536

Supplier Email info@fluid-film.com

Emergency telephone number Chemtrec (800) 424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

Not classified as hazardous according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### GHS Label elements, including precautionary statements

None.

**Emergency Overview** 

Signal word None

Hazard Statements None

Appearance Amber Physical State Gel Odor Mild piney odor

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

### **Precautionary Statements - Storage**

No special requirements. Keep container tightly closed.

#### **Precautionary Statements - Disposal**

Product should be disposed of via authorized waste disposal contractors in accordance with all local and national regulations.

# Hazards not otherwise classified (HNOC)

Not applicable.

#### **Unknown Toxicity**

No information available.

### Other information

No information available.

#### Interactions with Other Chemicals

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Refined petroleum oil, hydrotreated light naphthenic	64742-53-6	50-90	*
Benzenesulfonic Acid, Di-C10-18-alkyl derivs., calcium salts	61789-86-4	1-10	*
Refined petroleum oil, hydrotreated heavy paraffinic	93820-57-6	1-10	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

General Advice Immediate medical attention is required.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, also under the

eyelids. If symptoms persist, call a physician.

**Skin Contact** Wipe excess material from the skin with a cloth, followed by washing with soap

and water. A waterless skin cleanser is beneficial in removing the material from

the skin. In the case of skin irritation or allergic reactions, see a physician.

Inhalation If respiratory symptoms develop, remove to fresh air. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

**Effects** 

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

CO<sub>2</sub>, Dry Chemical, Foam

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

No information available.

Uniform Fire Code Combustible. Will not readily ignite.

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with eyes.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

# Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Refined petroleum oil, hydrotreated light naphthenic	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	
64742-53-6	STEL: TWA: 10 mg/m³, as oil mist, mineral		
Refined petroleum oil, hydrotreated heavy	TWA: 5 mg/m <sup>3</sup> , as oil mist,	TWA: 5 mg/m <sup>3</sup> , as oil mist,	
paraffinic	mineral	mineral	
64742-54-7	STEL: TWA: 10 mg/m <sup>3</sup> , as oil		
	mist, mineral		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992)

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required. Use chemical eye goggles in tanks and

confined spaces.

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. Use approved respirator

with organic vapor cartridges in tanks and confined spaces. If exposure limits are exceeded

or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical State Gel Appearance Amber

Appearance Amber Odor Mild piney odor

Color Amber Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks/ Method</u>

На 8.0 None known **Melting / freezing point** No data available None known Boiling point / boiling range No data available None known **Flash Point** 157 C / 315 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

**Specific Gravity** 0.917 None known Water Solubility Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** None known No data available No data available **Decomposition temperature** None known Kinematic viscosity No data available None known No data available Dynamic viscosity None known No data available **Explosive properties** 

No data available

**Other Information** 

**Oxidizing Properties** 

Softening Point No data available Particle Size No data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

None known based on information supplied.

### **Incompatible materials**

None known based on information supplied.

### **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye Contact** Minimally irritating.

**Skin Contact** Prolonged contact could cause skin irritation.

**Ingestion** > 14,000 mg/kg

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium petroleum sulfonate 61789-86-4	> 5000 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-

\_\_\_\_

Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no known carcinogens.

**Reproductive Toxicity**No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Chronic Toxicity** No information available.

Target Organ Effects No information available.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No information available.

# Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Disposal methods** Product should be disposed of via authorized waste disposal contractors in accordance with

all local and national regulations. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes Not applicable.

# 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

Page 6/8

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

#### International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden release of pressure hazarc

Reactive Hazard

No

### SARA 302 Extremely Hazardous Substances (TPQ)

None

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **VOC Regulations**

This product complies with the consumer product VOC limits of CARB, the US EPA and states adopting the OTC VOC rules.

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### International Regulations

Canada WHMIS Hazard Class Not applicable.

# **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 1 Instability 0 Physical and

Chemical Hazards - HMIS Health Hazards 1 Flammability 1 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 01-Apr-2016

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# **End of Safety Data Sheet**